




Professional Series Product Range

solbi® mural
+34 912 302 469
VELCRO® distribuidor

PROFESSIONAL SERIES



Who We Are

Velcro Companies	4
VELCRO® Brand Solutions for the Construction Industry	6

General Purpose

General Use Fastener	8
----------------------------	---

High Performance

High Strength Fastener	10
Extreme Strength Fastener	12
Extra Thin Fastener	14
Universal Flooring Fastener.....	16
VELCRO® Brand ALFA-LOK® Fastener	18

Straps & Tapes

VELCRO® Brand ONE-WRAP® Strap	20
VELCRO® Brand ONE-WRAP® Tape	26
VELCRO® Brand LogiStrap® Strap	30

Agriculture & Gardening

Green Tie	32
-----------------	----

Additional Information

Sales Promotion Tools.....	34
Product Range Overview	35

 VELCRO[®]
BRAND



PROFESSIONAL SERIES


solbi[®] mural[®]
 +34 912 302 469
VELCRO[®]
distribuidor

Velcro Companies

Velcro Companies is a technology-driven, global organization providing fastening solutions that solve problems in simple, elegant and surprising ways for businesses and consumers around the world. We have a heritage of innovation spanning more than 50 years and own over 400 active patents and numerous trademarks, including the VELCRO® trademark, which is registered throughout the world. We develop and deliver solutions for customers through an integrated production and service system that includes manufacturing locations in the United States, Canada, Mexico, Uruguay, Spain, Belgium, China and Vietnam and sales offices around the world.



 Our manufacturing facilities around the world

From more than
50 different
nationalities



+3,000
employees

We create more than
10 billion connections
every year



10 billion
connections

Last year we produced
enough tape to circle
the Earth 130 times



5,300,000 Km
of tape

Developed since the
creation of the original
patent in 1952



+1,000
patents



+20 offices
worldwide

10 production facilities,
4 R&D centers, 20 sales
offices and distribution
centers



Hidden
hero

Our products are connecting
everyone everywhere in
everyday life experiences




Hundreds of
applications


Infinite applications and uses by
consumers and professionals
around the world



VELCRO® Brand Solutions for the Construction Industry

The VELCRO® Brand offers construction fastening systems that provide a greener alternative for manufacturers, architects, and builders –and can help earn potential green building rating points. These fastening solutions reduce the use of volatile organic compounds (VOCs), eliminate adhesive off-gassing, and reduce job site waste, while reducing the installation time. VELCRO® Brand construction fastening systems require fewer tools; are easy to replace and reposition; prevent damage to the underlying building envelope; and can be applied in a wider range of temperature and weather conditions for improved productivity and reduced labor costs.





GENERAL PURPOSE

GENERAL USE FASTENER

VELCRO® Brand Hook & Loop closure. Medium profile.
Adhesive designed for a wide number of substrates such as aluminum, stainless steel, glass, plywood and polyester. Adhesive is not suitable for polyethylene, polypropylene or vinyl-PVC. Medium adhesive temperature resistance. Medium tack adhesion.



CLOSURE INFORMATION		
	MATERIAL	Polyamide
	CYCLE LIFE	High
	PEEL	1.75 N/cm
	SHEAR	9.5 N/cm ²
	TENSION	4.5 N/cm ²
	ADHESIVE OPERATING TEMPERATURE	-15°C to +90°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✓
Polypropylene	✓
Stainless Steel	✓
Vinyl	✗
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended ✓ Good ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20002	8412355200028	5 meters of Hook Tape 5 meters of Loop Tape	20mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20003	8412355200035	5 meters of Hook Tape 5 meters of Loop Tape	20mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20006	8412355200066	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20007	8412355200073	5 meters of Hook Tape 5 meters of Loop Tape	50mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20000	8412355200004	25 meters of Hook Tape 25 meters of Loop Tape	20mm	■	✓	6	Stick, staple, nail, screw
VEL-PS20001	8412355200011	25 meters of Hook Tape 25 meters of Loop Tape	20mm	□	✓	6	Stick, staple, nail, screw
VEL-PS20004	8412355200042	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20005	8412355200059	25 meters of Hook Tape 25 meters of Loop Tape	50mm	□	✓	5	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE



Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%



Clean the surface



Remove paper and press




Adhesive reaches maximum performance after 24 hours

solbi® mural
+34 912 302 469
VELCRO®
distribuidor



* Weight resistance of 50mm x 100mm of closure.



HIGH PERFORMANCE

HIGH STRENGTH FASTENER

VELCRO® Brand Extruded Plastic Hook & Loop closure. Medium profile. Adhesive suitable for a wide number of substrates (PVC-vinyl, aluminum, stainless steel, glass, plywood and polyester) but not for polyethylene or polypropylene. High adhesive temperature resistance. Medium tack.

CLOSURE INFORMATION		
	MATERIAL	Polyamide
	CYCLE LIFE	Medium
	PEEL	6 N/cm
	SHEAR	31 N/cm ²
	TENSION	9 N/cm ²
	ADHESIVE OPERATING TEMPERATURE	-20°C to +120°C



ADHESIVE SUBSTRATE COMPATIBILITY		
Aluminium Adonized		
Glass		
Painted Wallboard		
Plywood		
Polyester		
Polyethylene		
Polypropylene		
Stainless Steel		
Vinyl		
Formica (Polished Side)		
Cardboard		
Polyacrylic		
Fabrics		

Recommended Good Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20009	8412355200097	5 meters of Hook Tape 5 meters of Loop Tape	50mm			5	Stick, staple, nail, screw
VEL-PS20008	8412355200080	25 meters of Hook Tape 25 meters of Loop Tape	50mm			5	Stick, staple, nail, screw

● COINS							
REFERENCE	EAN CODE	CONTENT	DIAMETER	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20010	8412355200103	6 coins of Hook 6 coins of Loop	Ø 45mm			96	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE



Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%



Clean the surface



Remove paper and press



Adhesive reaches maximum performance after 24 hours
24H



* Weight resistance of 50mm x 100mm of closure.



HIGH PERFORMANCE

EXTREME STRENGTH FASTENER

VELCRO® Brand VEL-LOC® (Mushroom) & Loop closure. Medium profile. Adhesive suitable for a wide number of substrates (including aluminum, stainless steel, glass, plywood and polyester). Adhesive is not suitable for polyethylene, polypropylene or vinyl-PVC. Medium adhesive temperature resistance. Extreme tack adhesion.



CLOSURE INFORMATION		
	MATERIAL	Polyester Polypropylene Polyamide
	CYCLE LIFE	Low
	PEEL	24 N/cm
	SHEAR	115 N/cm²
	TENSION	11 N/cm²
	ADHESIVE OPERATING TEMPERATURE	-15°C to +90°C

ADHESIVE SUBSTRATE COMPATIBILITY		
Aluminium Adonized		
Glass		
Painted Wallboard		
Plywood		
Polyester		
Polyethylene		
Polypropylene		
Stainless Steel		
Vinyl		
Formica (Polished Side)		
Cardboard		
Polyacrylic		
Fabrics		

Recommended Good Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20012	8412355200127	5 meters of Hook Tape 5 meters of Loop Tape	50mm			5	Stick, staple, nail, screw
VEL-PS20011	8412355200110	25 meters of Hook Tape 25 meters of Loop Tape	50mm			5	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE



Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%



Clean the surface



Remove paper and press



Adhesive reaches maximum performance after 24 hours

solbi® mural
+34 912 302 469
VELCRO® distribuidor



* Weight resistance of 50mm x 100mm of closure.



HIGH PERFORMANCE

EXTRA THIN FASTENER

VELCRO® Brand Extruded Plastic Hook & Loop closure. Low profile. Adhesive suitable for a wide number of substrates (aluminum, stainless steel, glass, plywood, polyester, polyethylene and polypropylene). Low adhesive temperature resistance. Not compatible with PVC-vinyl. High tack.

CLOSURE INFORMATION		
	MATERIAL	Polypropylene Polyamide
	CYCLE LIFE	Medium
	PEEL	2 N/cm
	SHEAR	30 N/cm²
	TENSION	10 N/cm²
	ADHESIVE OPERATING TEMPERATURE	-15°C to +60°C



ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✓
Polypropylene	✓
Stainless Steel	✓
Vinyl	✗
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended ✓ Good ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20020	8412355200202	5 meters of Hook Tape 5 meters of Loop Tape	20mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20019	8412355200196	5 meters of Hook Tape 5 meters of Loop Tape	20mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20018	8412355200189	5 meters of Hook Tape 5 meters of Loop Tape	50mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20017	8412355200172	5 meters of Hook Tape 5 meters of Loop Tape	50mm	□	✓	5	Stick, staple, nail, screw
VEL-PS20016	8412355200165	25 meters of Hook Tape 25 meters of Loop Tape	20mm	■	✓	7	Stick, staple, nail, screw
VEL-PS20015	8412355200158	25 meters of Hook Tape 25 meters of Loop Tape	20mm	□	✓	7	Stick, staple, nail, screw
VEL-PS20014	8412355200141	25 meters of Hook Tape 25 meters of Loop Tape	50mm	■	✓	4	Stick, staple, nail, screw
VEL-PS20013	8412355200134	25 meters of Hook Tape 25 meters of Loop Tape	50mm	□	✓	4	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE

Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%

Clean the surface

Remove paper and press

24H
Adhesive reaches maximum performance after 24 hours

+34 912 302 469



* Weight resistance of 50mm x 100mm of closure.



HIGH PERFORMANCE

UNIVERSAL FLOORING FASTENER

VELCRO® Brand Extruded Plastic Hook. Low profile. Compatible with most of the flexible floors with receptive backing (Carpet, PVC...). Adhesive adequate for a wide range of substrates (PVC-Vinyl, aluminum, stainless steel, concrete, glass, plywood, polyester). High adhesive temperature range, low tack. Residual free.



CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	ADHESIVE OPERATING TEMPERATURE	-40°C to +140°C

ADHESIVE SUBSTRATE COMPATIBILITY		
Aluminium Adonized	✓	
Glass	✓	
Painted Wallboard	✓	
Plywood	✓	
Polyester	✓	
Polyethylene	✗	
Polypropylene	✗	
Stainless Steel	✓	
Vinyl	✓	
Formica (Polished Side)	✓	
Cardboard	✓	
Polyacrylic	✓	
Fabrics	✓	

✓ Recommended ✓ Good ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20021	8412355200219	25 meters of Hook Tape	45mm	■	✓	7	Stick
VEL-PS20027	8412355200271	25 meters of Hook Tape	107mm	■	✓	4	Stick

ADHESIVE RECOMMENDATIONS OF USE


Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%

Clean the surface

Remove paper and press

24H
Adhesive reaches maximum performance after 24 hours

solbi® M mural®
 +34 912 302 469
velcro® distribuidor



HIGH PERFORMANCE

ALFA-LOK® FASTENER

The VELCRO® Brand ALFA-LOK® Fastener is a strong, self-engaging and multidirectional tape easy to use. The quadrilobal mushroom tape ensures a firm and reliable connection. It can be engaged at any position by pressing the two parts together firmly.

VELCRO® Brand ALFA-LOK® Fastener has been developed for use in a wide range of applications from solar panels, signage and exhibition stands to fixing the interior in trains, cars or buses.



CLOSURE INFORMATION		
	MATERIAL	Polyester Polypropylene
	PEEL	2 N/cm
	SHEAR	50 N/cm²
	TENSION	40 N/cm²
	ADHESIVE OPERATING TEMPERATURE	-40°C to +90°C

ADHESIVE SUBSTRATE COMPATIBILITY	
Aluminium Adonized	✓
Glass	✓
Painted Wallboard	✓
Plywood	✓
Polyester	✓
Polyethylene	✓
Polypropylene	✓
Stainless Steel	✓
Vinyl	✓
Formica (Polished Side)	✓
Cardboard	✓
Polyacrylic	✓
Fabrics	✓

✓ Recommended ✓ Good ✗ Not Recommended

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20023	8412355200233	1 meter of Hook Tape	25mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20022	8412355200226	3 meters of Hook Tape	25mm	■	✓	5	Stick, staple, nail, screw
VEL-PS20028	8412355200288	5 meters of Hook Tape	25mm	■	✓	5	Stick, staple, nail, screw

ADHESIVE RECOMMENDATIONS OF USE

Ideal temperature from 18°C to 20°C
Relative humidity from 40% to 60%

Clean the surface

Remove paper and press

24H
Adhesive reaches maximum performance after 24 hours

+34 912 302 469



STRAPS & TAPES



ONE-WRAP® Strap

VELCRO® Brand ONE-WRAP® Strap has proved its value as easy, re-usable, safe and adjustable bundling solution that is gentle on fragile wires. Recognising a need in fibre optic networks, Velcro Companies has designed a wide range of colours to assist in colour coding.

CLOSURE INFORMATION

	MATERIAL	Polypropylene
	CYCLE LIFE	Medium
	PEEL	1.8 N/cm
	SHEAR	32 N/cm ²



SIZE	STRAP SHAPE
13x200mm	13x200
20x150mm	20x150
20x200mm	20x200
20x230mm	20x230
20x330mm	20x330
25x300mm	25x300




STRAP • 25 UNITS ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-0W64300	8412355643009	13mm x 200mm 25 Units	13mm	<input type="checkbox"/> White (010)	108	Bundle, wrap, fasten
VEL-0W64301	8412355643016			<input checked="" type="checkbox"/> Black (330)		
VEL-0W64302	8412355643023			<input checked="" type="checkbox"/> Black (330 F.R.T.)		
VEL-0W64303	8412355643030			<input checked="" type="checkbox"/> Royal Blue (131)		
VEL-0W64304	8412355643047			<input checked="" type="checkbox"/> Yellow (750)		
VEL-0W64305	8412355643054			<input checked="" type="checkbox"/> Red (530)		
VEL-0W64306	8412355643061			<input checked="" type="checkbox"/> Green (650)		
VEL-0W64307	8412355643078			<input checked="" type="checkbox"/> Purple (557)		
VEL-0W64308	8412355643092			<input checked="" type="checkbox"/> Pink (895)		
VEL-0W64310	8412355643108			<input checked="" type="checkbox"/> Acqua (893)		
VEL-0W64311	8412355643115			<input checked="" type="checkbox"/> Orange (700)		
VEL-0W64400	8412355644006			<input type="checkbox"/> White (010)		
VEL-0W64401	8412355644013			<input type="checkbox"/> Black (330)		
VEL-0W64402	8412355644020			<input type="checkbox"/> Black (330 F.R.T.)		
VEL-0W64403	8412355644037			<input type="checkbox"/> Royal Blue (131)		
VEL-0W64404	8412355644044	20mm x 150mm 25 Units	20mm	<input type="checkbox"/> Yellow (750)	108	Bundle, wrap, fasten
VEL-0W64405	8412355644051			<input type="checkbox"/> Red (530)		
VEL-0W64406	8412355644068			<input type="checkbox"/> Green (650)		
VEL-0W64407	8412355644075			<input type="checkbox"/> Purple (557)		
VEL-0W64409	8412355644099			<input type="checkbox"/> Pink (895)		
VEL-0W64410	8412355644105			<input type="checkbox"/> Acqua (893)		
VEL-0W64411	8412355644112			<input type="checkbox"/> Orange (700)		

solbi® mural


+34 912 302 469
VELCRO®
distribuidor



STRAPS & TAPES

 STRAP • 25 UNITS ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64500	8412355645003	20mm x 200mm 25 Units	20mm	White (010)		
VEL-OW64501	8412355645010			Black (330)		
VEL-OW64502	8412355645027			Black (330 F.R.T.)		
VEL-OW64503	8412355645034			Royal Blue (131)		
VEL-OW64504	8412355645041			Yellow (750)		
VEL-OW64505	8412355645058			Red (530)		
VEL-OW64506	8412355645065			Green (650)		
VEL-OW64507	8412355645072			Purple (557)		
VEL-OW64509	8412355645096			Pink (895)		
VEL-OW64510	8412355645102			Acqua (893)		
VEL-OW64511	8412355645119			Orange (700)		
VEL-OW64600	8412355646000	20mm x 230mm 25 Units	20mm	White (010)		
VEL-OW64601	8412355646017			Black (330)		
VEL-OW64602	8412355646024			Black (330 F.R.T.)		
VEL-OW64603	8412355646031			Royal Blue (131)		
VEL-OW64604	8412355646048			Yellow (750)		
VEL-OW64605	8412355646055			Red (530)		
VEL-OW64606	8412355646062			Green (650)		
VEL-OW64607	8412355646079			Purple (557)		
VEL-OW64609	8412355646093			Pink (895)		
VEL-OW64610	8412355646109			Acqua (893)		
VEL-OW64611	8412355646116			Orange (700)		
VEL-OW64700	8412355647007	20mm x 330mm 25 Units	20mm	White (010)		
VEL-OW64701	8412355647014			Black (330)		
VEL-OW64702	8412355647021			Black (330 F.R.T.)		
VEL-OW64703	8412355647038			Royal Blue (131)		
VEL-OW64704	8412355647045			Yellow (750)		
VEL-OW64705	8412355647052			Red (530)		
VEL-OW64706	8412355647069			Green (650)		
VEL-OW64707	8412355647076			Purple (557)		
VEL-OW64709	8412355647090			Pink (895)		
VEL-OW64710	8412355647106			Acqua (893)		
VEL-OW64711	8412355647113			Orange (700)		
VEL-OW64800	8412355648004	25mm x 300mm 25 Units	25mm	White (010)		
VEL-OW64801	8412355648011			Black (330)		
VEL-OW64802	8412355648028			Black (330 F.R.T.)		
VEL-OW64803	8412355648035			Royal Blue (131)		
VEL-OW64804	8412355648042			Yellow (750)		
VEL-OW64805	8412355648059			Red (530)		
VEL-OW64806	8412355648066			Green (650)		
VEL-OW64807	8412355648073			Purple (557)		
VEL-OW64809	8412355648097			Pink (895)		
VEL-OW64810	8412355648103			Acqua (893)		
VEL-OW64811	8412355648110			Orange (700)		



 STRAP • 100 UNITS ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64326	8412355643269			<input type="checkbox"/> White (010) <input checked="" type="checkbox"/> Black (330) <input checked="" type="checkbox"/> Black (330 F.R.T.) <input type="checkbox"/> Royal Blue (131) <input type="checkbox"/> Yellow (750) <input type="checkbox"/> Red (530) <input type="checkbox"/> Green (650) <input type="checkbox"/> Purple (557) <input type="checkbox"/> Pink (895) <input type="checkbox"/> Acqua (893) <input type="checkbox"/> Orange (700)		
VEL-OW64327	8412355643276				64	Bundle, wrap, fasten
VEL-OW64328	8412355643283					
VEL-OW64329	8412355643290					
VEL-OW64330	8412355643306					
VEL-OW64331	8412355643313	13mm x 200mm 100 Units	13mm			
VEL-OW64332	8412355643320					
VEL-OW64333	8412355643337					
VEL-OW64335	8412355643351					
VEL-OW64336	8412355643368					
VEL-OW64337	8412355643375					
VEL-OW64426	8412355644266					
VEL-OW64427	8412355644273					
VEL-OW64428	8412355644280					
VEL-OW64429	8412355644297					
VEL-OW64430	8412355644303				72	Bundle, wrap, fasten
VEL-OW64431	8412355644310					
VEL-OW64432	8412355644327					
VEL-OW64433	8412355644334					
VEL-OW64435	8412355644358					
VEL-OW64436	8412355644365					
VEL-OW64437	8412355644372					
VEL-OW64526	8412355645263					
VEL-OW64527	8412355645270					
VEL-OW64528	8412355645287					
VEL-OW64529	8412355645294					
VEL-OW64530	8412355645300					
VEL-OW64531	8412355645317	20mm x 200mm 100 Units	20mm		64	Bundle, wrap, fasten
VEL-OW64532	8412355645324					
VEL-OW64533	8412355645331					
VEL-OW64535	8412355645355					
VEL-OW64536	8412355645362					
VEL-OW64537	8412355645379					
VEL-OW64626	8412355646260					
VEL-OW64627	8412355646277					
VEL-OW64628	8412355646284					
VEL-OW64629	8412355646291					
VEL-OW64630	8412355646307					
VEL-OW64631	8412355646314	20mm x 230mm 100 Units	20mm		64	Bundle, wrap, fasten
VEL-OW64632	8412355646321					
VEL-OW64633	8412355646338					
VEL-OW64635	8412355646352					
VEL-OW64636	8412355646369					
VEL-OW64637	8412355646376					
VEL-OW64726	8412355647267					
VEL-OW64727	8412355647274					
VEL-OW64728	8412355647281					
VEL-OW64729	8412355647298					
VEL-OW64730	8412355647304					
VEL-OW64731	8412355647311	20mm x 330mm 100 Units	20mm		19	Bundle, wrap, fasten
VEL-OW64732	8412355647328					
VEL-OW64733	8412355647335					
VEL-OW64735	8412355647359					
VEL-OW64736	8412355647366					
VEL-OW64737	8412355647373					
VEL-OW64826	8412355648264					
VEL-OW64827	8412355648271					
VEL-OW64828	8412355648288					
VEL-OW64829	8412355648295					
VEL-OW64830	8412355648301					
VEL-OW64831	8412355648318				13	Bundle, wrap, fasten
VEL-OW64832	8412355648325					
VEL-OW64833	8412355648332					
VEL-OW64835	8412355648356					
VEL-OW64836	8412355648363					
VEL-OW64837	8412355648370					

STRAPS & TAPES

STRAP • 250 UNITS SPOOL						
REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64339	8412355643399	13mm x 200mm 250 Units	13mm	White (010)	3	Bundle, wrap, fasten
VEL-OW64340	8412355643405			Black (330)		
VEL-OW64341	8412355643412			Black (330 F.R.T.)		
VEL-OW64342	8412355643429			Royal Blue (131)		
VEL-OW64343	8412355643436			Yellow (750)		
VEL-OW64344	8412355643443			Red (530)		
VEL-OW64345	8412355643450			Green (650)		
VEL-OW64346	8412355643467			Purple (557)		
VEL-OW64348	8412355643481			Pink (895)		
VEL-OW64349	8412355643498			Acqua (893)		
VEL-OW64350	8412355643504			Orange (700)		
VEL-OW64439	8412355644396	20mm x 150mm 250 Units	20mm	White (010)	3	Bundle, wrap, fasten
VEL-OW64440	8412355644402			Black (330)		
VEL-OW64441	8412355644419			Black (330 F.R.T.)		
VEL-OW64442	8412355644426			Royal Blue (131)		
VEL-OW64443	8412355644433			Yellow (750)		
VEL-OW64444	8412355644440			Red (530)		
VEL-OW64445	8412355644457			Green (650)		
VEL-OW64446	8412355644464			Purple (557)		
VEL-OW64448	8412355644488			Pink (895)		
VEL-OW64449	8412355644495			Acqua (893)		
VEL-OW64450	8412355644501	20mm x 200mm 250 Units	20mm	Orange (700)	3	Bundle, wrap, fasten
VEL-OW64539	8412355645393			White (010)		
VEL-OW64540	8412355645409			Black (330)		
VEL-OW64541	8412355645416			Black (330 F.R.T.)		
VEL-OW64542	8412355645423			Royal Blue (131)		
VEL-OW64543	8412355645430			Yellow (750)		
VEL-OW64544	8412355645447			Red (530)		
VEL-OW64545	8412355645454			Green (650)		
VEL-OW64546	8412355645461			Purple (557)		
VEL-OW64548	8412355645485			Pink (895)		
VEL-OW64549	8412355645492	20mm x 230mm 250 Units	20mm	Acqua (893)	3	Bundle, wrap, fasten
VEL-OW64550	8412355645508			Orange (700)		
VEL-OW64639	8412355646390			White (010)		
VEL-OW64640	8412355646406			Black (330)		
VEL-OW64641	8412355646413			Black (330 F.R.T.)		
VEL-OW64642	8412355646420			Royal Blue (131)		
VEL-OW64643	8412355646437			Yellow (750)		
VEL-OW64644	8412355646444			Red (530)		
VEL-OW64645	8412355646451			Green (650)		
VEL-OW64646	8412355646468			Purple (557)		
VEL-OW64648	8412355646482	20mm x 330mm 250 Units	20mm	Pink (895)	3	Bundle, wrap, fasten
VEL-OW64649	8412355646499			Acqua (893)		
VEL-OW64650	8412355646505			Orange (700)		
VEL-OW64739	8412355647397			White (010)		
VEL-OW64740	8412355647403			Black (330)		
VEL-OW64741	8412355647410			Black (330 F.R.T.)		
VEL-OW64742	8412355647427			Royal Blue (131)		
VEL-OW64743	8412355647434			Yellow (750)		
VEL-OW64744	8412355647441			Red (530)		
VEL-OW64745	8412355647458			Green (650)		
VEL-OW64746	8412355647465			Purple (557)		
VEL-OW64748	8412355647489			Pink (895)		
VEL-OW64749	8412355647496			Acqua (893)		
VEL-OW64750	8412355647502			Orange (700)		
VEL-OW64839	8412355648394	25mm x 300mm 250 Units	25mm	White (010)	3	Bundle, wrap, fasten
VEL-OW64840	8412355648400			Black (330)		
VEL-OW64841	8412355648417			Black (330 F.R.T.)		
VEL-OW64842	8412355648424			Royal Blue (131)		
VEL-OW64843	8412355648431			Yellow (750)		
VEL-OW64844	8412355648448			Red (530)		
VEL-OW64845	8412355648455			Green (650)		
VEL-OW64846	8412355648462			Purple (557)		
VEL-OW64848	8412355648486			Pink (895)		
VEL-OW64849	8412355648493			Acqua (893)		
VEL-OW64850	8412355648509			Orange (700)		

 STRAP • 750 UNITS SPOOL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64365	8412355643658			<input type="checkbox"/> White (010) <input checked="" type="checkbox"/> Black (330) <input checked="" type="checkbox"/> Black (330 F.R.T.) <input type="checkbox"/> Royal Blue (131) <input type="checkbox"/> Yellow (750) <input type="checkbox"/> Red (530) <input type="checkbox"/> Green (650) <input type="checkbox"/> Purple (557) <input type="checkbox"/> Pink (895) <input type="checkbox"/> Acqua (893) <input type="checkbox"/> Orange (700)		
VEL-OW64366	8412355643665				1	Bundle, wrap, fasten
VEL-OW64367	8412355643672					
VEL-OW64368	8412355643689					
VEL-OW64369	8412355643696					
VEL-OW64370	8412355643702	13mm x 200mm 750 Units	13mm			
VEL-OW64371	8412355643719					
VEL-OW64372	8412355643726					
VEL-OW64374	8412355643740					
VEL-OW64375	8412355643757					
VEL-OW64376	8412355643764					
VEL-OW64465	8412355644655			<input type="checkbox"/> White (010) <input checked="" type="checkbox"/> Black (330) <input checked="" type="checkbox"/> Black (330 F.R.T.) <input type="checkbox"/> Royal Blue (131) <input type="checkbox"/> Yellow (750) <input type="checkbox"/> Red (530) <input type="checkbox"/> Green (650) <input type="checkbox"/> Purple (557) <input type="checkbox"/> Pink (895) <input type="checkbox"/> Acqua (893) <input type="checkbox"/> Orange (700)		
VEL-OW64466	8412355644662				1	Bundle, wrap, fasten
VEL-OW64467	8412355644679					
VEL-OW64468	8412355644686					
VEL-OW64469	8412355644693					
VEL-OW64470	8412355644709	20mm x 150mm 750 Units	20mm			
VEL-OW64471	8412355644716				1	Bundle, wrap, fasten
VEL-OW64472	8412355644723					
VEL-OW64474	8412355644747					
VEL-OW64475	8412355644754					
VEL-OW64476	8412355644761					
VEL-OW64565	8412355645652					
VEL-OW64566	8412355645669			<input type="checkbox"/> White (010) <input checked="" type="checkbox"/> Black (330) <input checked="" type="checkbox"/> Black (330 F.R.T.) <input type="checkbox"/> Royal Blue (131) <input type="checkbox"/> Yellow (750)		
VEL-OW64567	8412355645676				1	Bundle, wrap, fasten
VEL-OW64568	8412355645683					
VEL-OW64569	8412355645690					
VEL-OW64570	8412355645706	20mm x 200mm 750 Units	20mm			
VEL-OW64571	8412355645713					
VEL-OW64572	8412355645720					
VEL-OW64574	8412355645744					
VEL-OW64575	8412355645751					
VEL-OW64576	8412355645768					
VEL-OW64665	8412355646659			<input type="checkbox"/> White (010) <input checked="" type="checkbox"/> Black (330) <input checked="" type="checkbox"/> Black (330 F.R.T.) <input type="checkbox"/> Royal Blue (131) <input type="checkbox"/> Yellow (750)		
VEL-OW64666	8412355646666				1	Bundle, wrap, fasten
VEL-OW64667	8412355646673					
VEL-OW64668	8412355646680					
VEL-OW64669	8412355646697					
VEL-OW64670	8412355646703	20mm x 230mm 750 Units	20mm			
VEL-OW64671	8412355646710				1	Bundle, wrap, fasten
VEL-OW64672	8412355646727					
VEL-OW64674	8412355646741					
VEL-OW64675	8412355646758					
VEL-OW64676	8412355646765					
VEL-OW64765	8412355647656			<input type="checkbox"/> White (010) <input checked="" type="checkbox"/> Black (330) <input checked="" type="checkbox"/> Black (330 F.R.T.) <input type="checkbox"/> Royal Blue (131) <input type="checkbox"/> Yellow (750)		
VEL-OW64766	8412355647663				1	Bundle, wrap, fasten
VEL-OW64767	8412355647670					
VEL-OW64768	8412355647687					
VEL-OW64769	8412355647694					
VEL-OW64770	8412355647700	20mm x 330mm 750 Units	20mm			
VEL-OW64771	8412355647717				1	Bundle, wrap, fasten
VEL-OW64772	8412355647724					
VEL-OW64774	8412355647748					
VEL-OW64775	8412355647755					
VEL-OW64776	8412355647762					
VEL-OW64865	8412355648653			<input type="checkbox"/> White (010) <input checked="" type="checkbox"/> Black (330) <input checked="" type="checkbox"/> Black (330 F.R.T.) <input type="checkbox"/> Royal Blue (131) <input type="checkbox"/> Yellow (750)		
VEL-OW64866	8412355648660				1	Bundle, wrap, fasten
VEL-OW64867	8412355648677					
VEL-OW64868	8412355648684					
VEL-OW64869	8412355648691					
VEL-OW64870	8412355648707					
VEL-OW64871	8412355648714					
VEL-OW64872	8412355648721					
VEL-OW64874	8412355648745					
VEL-OW64875	8412355648752					
VEL-OW64876	8412355648769					

STRAPS & TAPES

TAPE

ONE-WRAP® Tape

VELCRO® Brand ONE-WRAP® Tape has proved its value as easy, re-usable, safe and adjustable bundling solution that is gentle on fragile wires. Recognising a need in fibre optic networks, Velcro Companies has designed a wide range of colours to assist in colour coding.

CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	CYCLE LIFE	Medium
	PEEL	1.8 N/cm
	SHEAR	32 N/cm ²



TAPE • 25M ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64100	8412355641005			<input type="checkbox"/> White (010)		
VEL-OW64101	8412355641012			<input checked="" type="checkbox"/> Black (330)		
VEL-OW64102	8412355641029			<input checked="" type="checkbox"/> Black (330 F.R.T.)		
VEL-OW64103	8412355641036			<input type="checkbox"/> Royal Blue (131)		
VEL-OW64104	8412355641043			<input type="checkbox"/> Yellow (750)		
VEL-OW64105	8412355641050	25m of ONE-WRAP® Tape	10mm	<input type="checkbox"/> Red (530)		
VEL-OW64106	8412355641067			<input type="checkbox"/> Green (650)		Bundle, wrap, fasten
VEL-OW64107	8412355641074			<input type="checkbox"/> Purple (557)		
VEL-OW64108	8412355641098			<input type="checkbox"/> Pink (895)		
VEL-OW64110	8412355641104			<input type="checkbox"/> Acqua (893)		
VEL-OW64111	8412355641111			<input type="checkbox"/> Orange (700)		
VEL-OW64113	8412355641135			<input type="checkbox"/> White (010)		
VEL-OW64114	8412355641142			<input type="checkbox"/> Black (330)		
VEL-OW64115	8412355641159			<input type="checkbox"/> Black (330 F.R.T.)		
VEL-OW64116	8412355641166			<input type="checkbox"/> Royal Blue (131)		
VEL-OW64117	8412355641173			<input type="checkbox"/> Yellow (750)		
VEL-OW64118	8412355641180	25m of ONE-WRAP® Tape	13mm	<input type="checkbox"/> Red (530)		
VEL-OW64119	8412355641197			<input type="checkbox"/> Green (650)		
VEL-OW64120	8412355641203			<input type="checkbox"/> Purple (557)		
VEL-OW64122	8412355641227			<input type="checkbox"/> Pink (895)		Bundle, wrap, fasten
VEL-OW64123	8412355641234			<input type="checkbox"/> Acqua (893)		
VEL-OW64124	8412355641241			<input type="checkbox"/> Orange (700)		



STRAPS & TAPES

TAPE • 25M ROLL

REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-OW64126	8412355641265	25m of ONE-WRAP® Tape	16mm	White (010)		
VEL-OW64127	8412355641272			Black (330)		
VEL-OW64128	8412355641289			Black (330 F.R.T.)		
VEL-OW64129	8412355641296			Royal Blue (131)		
VEL-OW64130	8412355641302			Yellow (750)		
VEL-OW64131	8412355641319			Red (530)	19	Bundle, wrap, fasten
VEL-OW64132	8412355641326			Green (650)		
VEL-OW64133	8412355641333			Purple (557)		
VEL-OW64135	8412355641357			Pink (895)		
VEL-OW64136	8412355641364			Acqua (893)		
VEL-OW64137	8412355641371			Orange (700)		
VEL-OW64139	8412355641395		25m of ONE-WRAP® Tape	White (010)		
VEL-OW64140	8412355641401			Black (330)		
VEL-OW64141	8412355641418			Black (330 F.R.T.)		
VEL-OW64142	8412355641425			Royal Blue (131)		
VEL-OW64143	8412355641432			Yellow (750)		
VEL-OW64144	8412355641449			Red (530)	19	Bundle, wrap, fasten
VEL-OW64145	8412355641456			Green (650)		
VEL-OW64146	8412355641463			Purple (557)		
VEL-OW64148	8412355641487			Pink (895)		
VEL-OW64149	8412355641494			Acqua (893)		
VEL-OW64150	8412355641500			Orange (700)		
VEL-OW64152	8412355641524		25m of ONE-WRAP® Tape	White (010)		
VEL-OW64153	8412355641531			Black (330)		
VEL-OW64154	8412355641548			Black (330 F.R.T.)		
VEL-OW64155	8412355641555			Royal Blue (131)		
VEL-OW64156	8412355641562			Yellow (750)		
VEL-OW64157	8412355641579			Red (530)	13	Bundle, wrap, fasten
VEL-OW64158	8412355641586			Green (650)		
VEL-OW64159	8412355641593			Purple (557)		
VEL-OW64161	8412355641616			Pink (895)		
VEL-OW64162	8412355641623			Acqua (893)		
VEL-OW64163	8412355641630			Orange (700)		
VEL-OW64165	8412355641654		25m of ONE-WRAP® Tape	White (010)		
VEL-OW64166	8412355641661			Black (330)		
VEL-OW64167	8412355641678			Black (330 F.R.T.)		
VEL-OW64168	8412355641685			Royal Blue (131)		
VEL-OW64169	8412355641692			Yellow (750)		
VEL-OW64170	8412355641708			Red (530)	13	Bundle, wrap, fasten
VEL-OW64171	8412355641715			Green (650)		
VEL-OW64172	8412355641722			Purple (557)		
VEL-OW64174	8412355641746			Pink (895)		
VEL-OW64175	8412355641753			Acqua (893)		
VEL-OW64176	8412355641760			Orange (700)		
VEL-OW64178	8412355641784		25m of ONE-WRAP® Tape	White (010)		
VEL-OW64179	8412355641791			Black (330)		
VEL-OW64180	8412355641807			Black (330 F.R.T.)		
VEL-OW64181	8412355641814			Royal Blue (131)		
VEL-OW64182	8412355641821			Yellow (750)		
VEL-OW64183	8412355641838			Red (530)	8	Bundle, wrap, fasten
VEL-OW64184	8412355641845			Green (650)		
VEL-OW64185	8412355641852			Purple (557)		
VEL-OW64187	8412355641876			Pink (895)		
VEL-OW64188	8412355641883			Acqua (893)		
VEL-OW64189	8412355641890			Orange (700)		



LogiStrap® Strap

VELCRO® Brand LogiStrap® Strap is a reusable Strap that can easily be opened and closed which will reduce the time people will use to secure a load and eliminate time required in movement to, and maintenance of, alternative equipment. No tools are required. LogiStrap® Strap is very soft which avoids the scratching of surfaces.

CLOSURE INFORMATION		
	MATERIAL	Polyamide
	CYCLE LIFE	High
	PEEL	1.75 N/cm
	SHEAR	9.5 N/cm ²



REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20024	8412355200240	50mm x 4m strap 2 units	50mm			5	Fastening and holding of goods in pallets and other handling of materials as sleeve packs or folding large containers
VEL-PS20025	8412355200257	50mm x 6m strap 2 units	50mm			5	Fastening and holding of goods in pallets and other handling of materials as sleeve packs or folding large containers



Product tested by:

- ITENE (Packaging, Transport & Logistics research center), Spain
- KaHo Sint-Lieven University, Belgium




GREEN TIE

Our VELCRO® Brand GREEN TIE provides support for your most delicate plants, as well as the rebels that have a bit of trouble staying upright on their own. Our clever hook and loop system means you can easily re-wrap the tie as your plants bloom.

CLOSURE INFORMATION		
	MATERIAL	Polypropylene
	CYCLE LIFE	Low
	PEEL	-
	SHEAR	Min. 7 N/cm²



REFERENCE	EAN CODE	CONTENT	WIDTH	COLOUR	ADHESIVE	QUANTITY PER SHIPPING BOX	APPLICATION METHOD
VEL-PS20026	8412355200264	5 meters of Self-engaging Tape	12mm			144	Bundle, wrap, fasten



ADDITIONAL INFORMATION: SALES PROMOTION TOOLS

TRY THE
PRODUCT CARDS &
DESK DISPLAY



STAND UP
DISPLAYS



ADDITIONAL INFORMATION: PRODUCT RANGE OVERVIEW



PROFESSIONAL SERIES

PERFORMANCE



USES



Velcro Companies is a technology-driven, global organization providing fastening solutions that solve problems in simple, elegant and surprising ways for businesses and consumers around the world. We have a heritage of innovation spanning more than 50 years and own over 400 active patents and numerous trademarks, including the VELCRO® trademark, which is registered throughout the world. We develop and deliver solutions for customers through an integrated production and service system that includes manufacturing locations in the United States, Canada, Mexico, Uruguay, Spain, Belgium, China and Vietnam and sales offices around the world.

To buy genuine VELCRO® Brand products and to find out more about our company, visit Velcro.com



GLOBAL OFFICES

Global Corporate Headquarters

VIL Ltd.
2 Kingdom Street, 6th Floor
Paddington, London, W2 6JP
United Kingdom
Velcro.com

Global Services Office

Velcro Group Corporation
95 Sundial Avenue
Manchester, NH 03103
USA
Tel: (+1) 800 225 0180
Velcro.com

Global Consumer Office

VIL Ltd.
Ground Floor, Booths Park 3,
Chelford Road
Knutsford, WA16 8GS
United Kingdom
Tel: (+44) 1270 310 191
Velcro.com

NAM

USA

Velcro USA Inc.
Tel: (+1) 800 225 0180
marketing@velcro.com
Velcro.com

Canada

Velcro Canada Inc.
Tel: (+1) 800 683 5276
canada@velcro.com
Velcro.com

LATAM

Mexico

Velcro de México, S.A. de C.V.
Tlalnepantla de Baz,
Edo. de México
Tel: (+52) 55 5005 3300
infovdmex@velcro.com
Velcrodemexico.com

León, Gto
Tel: (+52) 477 980 0628
infovdmex@velcro.com
Velcrodemexico.com

Brazil

Velcro Brasil Importação,
Exportação e Comércio de
Sistemas de Fixação Ltda.

Campo Bom, RS
Tel: (+55) 51 3599 1483
infovbra@velcro.com
Velcro.com.br

Sumaré, SP
Tel: (+55) 11 3197 2576
infovbra@velcro.com
Velcro.com.br

Uruguay

Velcro Industrial
del Uruguay S.A.
Tel: (+598) 2288 0008
infovurg@velcro.com
Velcro.com

EMEA

Spain

Velcro Europe S.A.
Tel: (+34) 93 758 32 98
infovesa@velcro.com
Velcro.es

Germany

Velcro GmbH
Freiberg am Neckar
Tel: (+49) 7141 991 19-0
infovgmbh@velcro.com
Velcro.de

Gronau

Tel: (+49) 2562 96 45-0
infovgmbh@velcro.com
Velcro.de

France

Velcro Industries France S.A.S.
Tel: (+33) 1 34 38 78 88
infovif@velcro.com
Velcro.fr

Belgium

Alfatex N.V.
Tel: (+32) 9 386 12 18
infovaus@velcro.com
Velcro.be

Italy

Velcro Italia, S.R.L.
Tel: (+39) 039 62 70 01
infoveit@velcro.com
Velcro.it

UK

Velcro Ltd.
Tel: (+44) 1606 738 806
infovtld@velcro.com
Velcro.co.uk

Poland

Alfatex Sp. z o.o.
Tel: (+48) 71 798 57 89
infop1@velcro.com
Velcro.pl

APAC

Australia

Velcro Australia Pty. Ltd.
Tel: (+61) 3 9703 2466
infovaus@velcro.com
Velcro.com.au

China

Velcro China Fastening
Systems Company Limited
Tel: (+86) 21 6045 2090
(Shanghai Sales Office)
infovch@velcro.com
Velcro.com.cn

Hong Kong

Velcro Hong Kong Ltd.
Tel: (+852) 2570 3698
infovhk@velcro.com
Velcro.com.hk

Vietnam

Velcro Vietnam Company Limited
Tel: (+84) 274 2222 497
infovn@velcro.com
Velcro.vn